

PURPOSE OF AMENDMENT OF AUSTRALASIAN HEALTH FACILITY GUIDELINES REVISION v2.0

AMENDMENT No.1 10 MARCH 2008

Purpose of this amendment:

- Clarify the size of Operating Room - Large in Health Planning Unit (HPU) 520 Operating Unit to maintain consistency of data across Australasian Health Facility Guidelines Revision 2.0.

- Add explanatory note to HPU 600 Radiation Oncology - Schedule of Accommodation to clarify the 150m2 spatial allowance for linear accelerator bunker design.

Provisions affected by this amendment:

- 520 Operating Unit

Clause Reference		Changes & Commentary
500292	520.84.00	“General Note” legend added (Full Guidelines, page 639)
502063	90.2.00	Amendment to Rooms List - Operating Room - Large: - size increased from 50m2 to 52m2. (Full Guidelines, page 62)
600261	90.42.05	Amendment to description and function of Operating Room - Large: - Room size increases from 50m2 to 52m2 - Explanatory note added (Full Guidelines, page 105)
See RDS & RLS	See RDS & RLS	REVISED Room Data Sheet and Room Layout Sheet of Operating Room - Large uploaded to Australasian Health Facility Guideline: - Room size increases from 50m2 to 52m2.

- 600 Radiation Oncology

Clause Reference		Changes & Commentary
602065	600.22.25	Explanatory Note 1: added to clarify the 150m2 spatial allowance for linear accelerator.